UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/634,651	08/05/2003	Martin Malservisi	GOUD1240	6363
38396 JOHN BRUCK	7590 10/15/200 NER. P.C.	EXAMINER		
P.O. BOX 490	,	ECHELMEYER, ALIX ELIZABETH		
FLAGSTAFF, AZ 86002			ART UNIT	PAPER NUMBER
			1795	
			MAIL DATE	DELIVERY MODE
			10/15/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/634,651	MALSERVISI ET AL.
Office Action Summary	Examiner	Art Unit
	Alix Elizabeth Echelmeyer	1795
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPL' WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period of the period for reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tinwill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 26 Ju This action is FINAL . 2b) ☐ This Since this application is in condition for alloward closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro	
Disposition of Claims		
4) ☐ Claim(s) 1-4,6,7,9,13-18,21-24,26 and 40-59 is 4a) Of the above claim(s) 1-4 and 44-59 is/are 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 6,7,9,13-18,21-24,26 and 40-43 is/are 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	withdrawn from consideration.	
Application Papers		
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	epted or b) objected to by the Ediaming (s) be held in abeyance. See tion is required if the drawing (s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s) 1) \[\sum \] Notice of References Cited (PTO-892)	4) ☐ Interview Summary	(PTO-413)
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 	4)	ate

Application/Control Number: 10/634,651 Page 2

Art Unit: 1795

DETAILED ACTION

Response to Amendment

1. This Office Action is in response to the amendment filed June 26, 2008. Claims 13, 14, 18 and 40 have been amended. Claims 1-4 and 44-59 were previously withdrawn. Claims 5, 8, 10-12, 19, 20, 25 and 27-39 were previously cancelled. Claims 6, 7, 9, 13-18, 21-24, 26 and 40-43 are rejected for the reasons given below.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 9, 13-18 and 40-43 rejected under 35 U.S.C. 103(a) as being unpatentable over Durkot et al. (US 2002/0155352).

Regarding claim 40, Durkot et al. teach an electrochemical cell with an anode comprising zinc ally particles suspended in a fluid medium (abstract).

The particles have a length to width greater than 5, when the width and length dimension are switched ([0018]). Such a switch is logical, since if the "width" of an object is greater than its "length", then the "width" is essentially the length, and the "length" is the width. Therefore, since 1/0.20, or one (1) over 20%, is equal to 5, and the aspect ratio is less than 20%, it is also greater than 5 when the "width" and "length" dimensions are switched.

As for the particle size distribution limitation of claim 40, it can be seen in Figure 2 that for certain particles at certain sizes, the log-normal slope is 2.

Regarding claim 41, the fluid medium is gelled potassium hydroxide, or KOH ([0003]).

With regard to claims 42 and 43, it is disclosed in Example 1 of Durkot et al. that the battery consists of polyacrylic acid in 0.53 % by weight of the anode, and that the electrolyte, comprising 2% ZnO and 35% KOH, is 30.94% by weight of the anode. Thus, the gelled electrolyte forms 31.47% by weight of the anode. Of that 31.47% by weight, 98% by weight is the 2% ZnO / 35% KOH, and 2% by weight is the polyacrylic acid.

Regarding the solutions of ZnO and KOH, it has been held that when the difference between a claimed invention and the prior art is the range or value of a particular variable, then a <u>prima facie</u> rejection is properly established when the difference in the range or value is minor. <u>Titanium Metals Corp. of Am. v. Banner</u>, 778 F.2d 775, 783, 227 USPQ 773, 779 (Fed. Cir. 1985).

Regarding claim 9, the particles of Durkot et al. may be acicular ([0018]).

As for claims 13-17, the fine zinc alloy particles may have a particle size of 74 μ m and the dust zinc alloy particles may have a particle size of 44 μ m ([0012], [0013], [0040]). At least 10% of the powder is made up of the dust zinc alloy particles ([0038]). This includes values of 10-19%, or less than 20%.

Regarding claim 18, the "second zinc metal or zinc alloy powder" of the instant claim I considered to be the dust particle, discussed in the previous paragraph. If the

dust particles are acicular, as disclosed in Durkot et al., then would have a length along one axis at least two times the length in another, or would have an aspect ratio of about 2 ([0018]).

Concerning the length to width ratio of claim 40, Durkot et al. fail to explicitly teach the claimed ratio for the particles. Durkot et al. do teach that the surface area of the particles, which is affected by the ratio of the length to width, is result effective ([0041]). It would have been obvious to one having ordinary skill in the art at the time the invention was made to optimize the surface area of the particles, since it is recognized that increased surface area results in more area for reaction. It has been held that discovering an optimum value of a result effective variable involves only routine skill in the art (MPEP 2144.05 IIB).

4. Claims 6 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Durkot et al. in view of Urry et al. (WO 98/50969).

The teachings of Durkot et al. as discussed above are incorporated herein.

Durkot et al. teach that zinc powder of the anode of a battery, but fail to teach that the powder granules are teardrop in shape.

Urry et al. teach an electrochemical cell having an anode with zinc powder particles (abstract).

Urry et al. further teach that the particles may be teardrop in shape (page 7 line 16).

As for claim 7, the particles may be 254 µm to 1524 µm (page 4 lines 9-10).

Urry et al. further teach that the shape of the particles in the anode can affect the battery characteristics (page 6 lines 5-15).

Page 5

It would be advantageous to determine the best shape for the zinc particles of the anode of Durkot et al., such as a teardrop shape, since Urry et al. teach that the shape of the particle can affect the characteristics of the battery.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to determine the best shape for the zinc particles of the anode of Durkot et al., such as a teardrop shape, since Urry et al. teach that the shape of the particle can affect the characteristics of the battery.

5. Claims 21-24 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Durkot et al. in view of Daniel-Ivad et al. (US 7,008,723).

The teachings of Durkot et al. as discussed above are incorporated herein.

Durkot et al. teach the zinc alloy powder in the anode of the battery, but fail to teach that the zinc alloy comprises zinc, bismuth, indium, aluminum or calcium.

Daniel-Ivad et al. teach a zinc alloy for use in the anode of an electrochemical cell (abstract).

The mercury- and lead-free zinc alloys of Daniel-Ivad et al. may include up to 800 ppm indium, up to 500 ppm calcium, up to 500 ppm magnesium, up to 200 ppm bismuth, and up to 200 ppm aluminum (column 4 lines 6-15).

Daniel-Ivad et al. further teach that the zinc alloys mentioned in the previous paragraph may be included in the anode of a battery without the need for environmentally unsafe additives (column 1 lines 54-57, column 3 lines 63-67).

It would be advantageous to use the alloys of Daniel-Ivad et al. in the anode of Durkot et al. since they do not require environmentally unsafe additives, resulting in an environmentally safer battery.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use the alloys of Daniel-Ivad et al. in the anode of Durkot et al. since they do not require environmentally unsafe additives, resulting in an environmentally safer battery.

Response to Arguments

6. Applicant's arguments, see Remarks, filed June 26, 2008, with respect to the rejection of claim 40 under Durkot et al. have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground of rejection is made, see above. Specifically, the argument found convincing is on page 11 of the remarks, concerning the length to width ratio taught in Durkot et al.

Applicant's arguments concerning the definition of diameter as "when viewing a cross section of a particle lying on a plane arranged substantially at right angles to the length of the particle, the distance between two points lying on the perimeter which are farthest apart" (see page 9 of the Remarks) have been fully considered but they are not

Art Unit: 1795

persuasive. This "definition" of diameter is not based on the instant specification, and appears to have been designed simply to overcome the teachings of Durkot et al.

Applicant further states, on pages 10-11, that the diameter translates to the "width" and not the "thickness" of the particle. Again, this argument is made to overcome the teachings of Durkot et al. The choosing of the width and thickness, or diameter dimensions is arbitrary. Further, as discussed in the new rejection laid out above, the ratio of length to "width" or "diameter" is result effective, and one of ordinary skill in the art would find it obvious to optimize the relationship in order to find the ideal surface area that Applicant has claimed.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alix Elizabeth Echelmeyer whose telephone number is (571)272-1101. The examiner can normally be reached on Mon-Fri 8-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Susy N. Tsang-Foster can be reached on 571-272-1293. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/634,651 Page 8

Art Unit: 1795

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Alix Elizabeth Echelmeyer Examiner Art Unit 1795

aee

/SUSY N TSANG-FOSTER/ Supervisory Patent Examiner, Art Unit 1795